

DECLARATION OF CONFORMITY

n° 5-740 rev.3
 (ISO CEI EN 17050:2005)

CISA S.p.A.
 declares under its sole responsibility

that the locks

**1.14450.xx.x, 1.14451.xx.x, 1.14452.xx.x, 1.14460.xx.x, 1.14461.xx.x, 1.14462.xx.x,
 1.14350.xx.x, 1.14351.xx.x, 1.14352.xx.x, 1.14510.xx.x, 1.14511.xx.x, 1.14512.xx.x,
 1.14010.xx.x, 1.14011.xx.x, 1.14012.xx.x, 1.14017.xx.x,**

which are subjected to this declaration, have been successfully tested in conformity with the prescriptions of the standard **EN 12209:2016**

With the classification

REQUIREMENT	4.2	4.3	4.4	4.5	4.6	4.7	4.8	4.9
DIGIT	1	2	3	4	5	6	7	8
Performance	2	C	4	0	0	0*	1	0

- 4.2: Category of use
- 4.3: Durability requirements
- 4.4: Door mass and door closing force
- 4.5: Suitability for use on fire resistance and/or smoke control doorset
- 4.6: Safety
- 4.7: Corrosion resistance and temperature
- 4.8: Security
- 4.9: Key identification requirements of lever locks

* test not performed
 See CISA test Report 0056


 Faenza, 13th June 2022
CISA Legal Representative
Maurizio Marguccio